


Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

1. (Currently Amended) A compound of formula (I) or a pharmaceutically acceptable salt thereof:



(I)

in which:

n represents 1 or 2;

R¹ is one or more substituents independently selected from halogen, CN, nitro, SO₂R⁴, OR⁴, SR⁴, SOR⁴, SO₂NR⁵R⁶, CONR⁵R⁶, NR⁵R⁶, NR⁹SO₂R⁴, NR⁹CO₂R⁴, NR⁹COR⁴, aryl, C₂-C₆ alkenyl, C₂-C₆ alkynyl or C₁₋₆alkyl, the latter five groups being optionally substituted by one or more substituents independently selected from halogen, OR⁷ and NR⁸R⁹, NR⁸R⁹, S(O)_xR⁷ where x is 0, 1 or 2;

R² is hydrogen, halogen, CN, SO₂R⁴ or CONR⁵R⁶, COR⁴ or C₁₋₇alkyl, the latter group being optionally substituted by one or more substituents independently selected from halogen atoms, OR⁸ and NR⁸R⁹, S(O)_xR⁷ where x is 0, 1 or 2,

R³ is aryl or a 5-6 membered aromatic ring containing one or more heteroatoms selected from N, S and O, each of which is optionally substituted by one or more substituents independently selected from halogen, CN, nitro, SO₂R⁴, OH, OR⁴, SR⁴, SOR⁴, SO₂NR⁵R⁶, CONR⁵R⁶, NR⁵R⁶, NR⁹SO₂R⁴, NR⁹CO₂R⁴, NR⁹COR⁴, C₂-C₆ alkenyl, C₂-C₆ alkynyl, C₁-C₆ alkyl, the latter three groups being optionally substituted by one or more substituents independently selected from halogen atoms, OR⁷ and NR⁸R⁹, S(O)_xR⁷ where x is 0, 1 or 2;

R⁴ represents aryl, heteroaryl, or C₁-C₆ alkyl, all of which are may-be optionally substituted by one or more substituents independently selected from halogen atoms, aryl, heteroaryl, OR¹⁰ and NR¹¹R¹² S(O)_xR¹³ (where x = 0, 1 or 2), CONR¹⁴R¹⁵, NR¹⁴COR¹⁵, SO₂NR¹⁴R¹⁵, NR¹⁴SO₂R¹⁵, CN, nitro;

R⁵ and R⁶ independently represent a hydrogen atom, a C₁-C₆ alkyl group, or an aryl group, the latter two of which are may-be optionally substituted by one or more substituents independently selected from halogen atoms, aryl, OR¹³ and NR¹⁴R¹⁵, CONR¹⁴R¹⁵, NR¹⁴COR¹⁵, SO₂NR¹⁴R¹⁵, NR¹⁴SO₂R¹⁵, CN, nitro;

or

R⁵ and R⁶ together with the nitrogen atom to which they are attached can form a 3-8 membered saturated heterocyclic ring optionally containing one or more atoms selected from O, S(O)_x where x is 0, 1 or 2, NR¹⁶, and the ring itself is optionally substituted by C₁-C₃ alkyl;

R⁷ and R¹³ independently represent a C₁-C₆ alkyl group, or an aryl or group all of which are may be optionally substituted by halogen atoms;

R⁸ represents a hydrogen atom, C(O)R⁹, C₁-C₆ alkyl (optionally substituted by halogen atoms, or an aryl group, which may also is be optionally substituted by one or more fluorine atoms); or an aryl group, which is may-be optionally substituted by one or more halogen atoms;

each of R⁹, R¹⁰, R¹¹, R¹², R¹⁴, R¹⁵, independently represents a hydrogen atom, C₁-C₆ alkyl, or an aryl group (all of which are may-be optionally substituted by one or more halogen atoms); and

R¹⁶ is hydrogen, C₁₋₄ alkyl, -C(O)C₁-C₄ alkyl, C(O)YC₁-C₄alkyl, Y is O or NR⁷.

or a pharmaceutically acceptable salt or solvate thereof.

2. (Original) A compound according to claim 1 in which n is 2.
3. (Previously presented) A compound according to claim 1 in which R¹ is halogen, nitrile, C₁₋₆alkyl or SO₂R⁴, NO₂, NR⁹COR⁴, NR⁹SO₂R⁴, aryl, NR⁵R⁶.
4. (Previously presented) A compound according to claim 1 in which the R¹ substituent(s) is/are in the 4- and/or 5- position.
5. (Previously presented) A compound according claim 1 in which R² is C₁₋₆alkyl.
6. (Original) A compound according to claim 4 in which R³ is phenyl substituted by halogen.
7. (Currently Amended) A compound according to claim 1 selected from:
3-[(4-chlorophenyl)sulfonyl]-2,5-dimethyl-1*H*-indol-1-acetic acid;
5-chloro-3-[(4-chlorophenyl)sulfonyl]-2-methyl-1*H*-indole-1-acetic acid;
6-chloro-3-[(4-chlorophenyl)sulfonyl]-2-methyl-1*H*-indole-1-acetic acid;
7-chloro-3-[(4-chlorophenyl)sulfonyl]-2-methyl-1*H*-indole-1-acetic acid;
5-chloro-3-[(4-chlorophenyl)sulfonyl]-4-cyano-2-methyl-1*H*-indole-1-acetic acid;
5-chloro-3-[(4-chlorophenyl)sulfonyl]-6-cyano-2-methyl-1*H*-indole-1-acetic acid;
3-[(4-chlorophenyl)sulfonyl]-2,5-dimethyl-1*H*-indole-1-acetic acid;
3-[(4-chlorophenyl)sulfonyl]-4-(ethylsulfonyl)-7-methoxy-2-methyl-1*H*-indole-1-acetic acid;
3-[(4-chlorophenyl)sulfonyl]-5-cyano-2-methyl-1*H*-indole-1-acetic acid;
3-[(4-chlorophenyl)sulfonyl]-5-cyano-2-methyl-1*H*-indole-1-acetic acid;
5-chloro-3-[(4-chlorophenyl)sulfonyl]-2-methyl-1*H*-indole-1-acetic acid,
4-chloro-3-[(4-chlorophenyl)sulfonyl]-2-methyl-1*H*-indole-1-acetic acid;
3-[(4-methoxyphenyl)sulfonyl]-2,5-dimethyl-1*H*-indol-1-acetic acid;
3-[(3-methoxyphenyl)sulfonyl]-2,5-dimethyl-1*H*-indol-1-acetic acid;

3-[(2-Chlorophenyl)sulfonyl]-2,5-dimethyl-1*H*-indol-1-acetic acid;
3-[(3-Chlorophenyl)sulfonyl]-2,5-dimethyl-1*H*-indol-1-acetic acid;
3-[(4-Cyanophenyl)sulfonyl]-2,5-dimethyl-1*H*-indole-1-acetic acid;
3-[(2-methylphenyl)sulfonyl]-2,5-Dimethyl-1*H*-indol-1-acetic acid;
3-[(2-ethylphenyl)sulfonyl]-2,5-dimethyl-1*H*-indol-1-acetic acid;
3-[(4-chlorophenyl)sulfonyl]-2-methyl-4-nitro-1*H*-indole-1-acetic acid;
4-(Acetylamino)-3-[(4-chlorophenyl)sulfonyl]-2-methyl-1*H*-indole-1-acetic acid;
3-[(4-chlorophenyl)sulfonyl]-2-methyl-4-[(methylsulfonyl)amino]- 1*H*-indole-1-acetic acid;
3-[(4-chlorophenyl)sulfonyl]-4-(ethylamino)-2-methyl-1*H*-indole-1-acetic acid;
3-[(2,6-Dichlorophenyl)sulfonyl]-2,5-dimethyl-1*H*-indole-1-acetic acid;
3-[(4-chlorophenyl)sulfonyl]-2-methyl-4-phenyl-1*H*-indole-1-acetic acid
3-[(4-chlorophenyl)sulfonyl]-5-fluoro-2-methyl-1*H*-indole-1-acetic acid,
3-[(3-chlorophenyl)sulfonyl]-5-fluoro-2-methyl- 1*H*-indole-1-acetic acid, and
5-fluoro-2-methyl-3-[[4-(trifluoromethyl)phenyl)sulfonyl]- 1*H*-indole-1-acetic acid,
or a and pharmaceutically acceptable salt ~~salts~~ thereof.


8-9. (Cancelled)

10. (Previously presented) A method of treating asthma or rhinitis, the method comprising administering to a patient a therapeutically effective amount of a compound of formula (I), or a pharmaceutically acceptable salt as defined in claim 1.

11-13. (Cancelled)

14. (Previously Presented) A process for the preparation of a compound of formula (I) of claim 1 which comprises:


(a) oxidation of a compound of formula (II):



(II)

in which R¹⁷ is hydrogen or alkyl and R¹, R² and R³ are as defined in claim 1, or

(b) reaction of a compound of formula (III):



(III)


in which R¹, R² and R³ are as defined in claim 1, with a compound of formula (IV):



where R¹⁸ is an alkyl group and L is a leaving group in the presence of a base, and optionally thereafter (a) or (b) in any order:

- hydrolysing the ester group R¹⁷ or R¹⁸ to the corresponding acid
- removing any protecting group
- forming a pharmaceutically acceptable salt.

15. (Currently Amended) A compound of formula (II) or a pharmaceutically-acceptable salt thereof:



wherein:

R¹⁷ is hydrogen or alkyl;

R¹ is one or more substituents independently selected from halogen, CN, nitro, SO₂R⁴, OR⁴, SR⁴, SOR⁴, SO₂NR⁵R⁶, CONR⁵R⁶, NR⁵R⁶, NR⁹SO₂R⁴, NR⁹CO₂R⁴, NR⁹COR⁴, aryl, C₂-C₆ alkenyl, C₂-C₆ alkynyl or C₁₋₆alkyl, the latter five groups being optionally substituted by one or more substituents independently selected from halogen, OR⁷ and NR⁸R⁹, NR⁸R⁹, S(O)_xR⁷ where x is 0, 1 or 2;

R² is hydrogen, halogen, CN, SO₂R⁴ or CONR⁵R⁶, COR⁴ or C₁₋₇alkyl, the latter group being optionally substituted by one or more substituents independently selected from halogen atoms, OR⁸ and NR⁸R⁹, S(O)_xR⁷ where x is 0, 1 or 2;

R³ is aryl or a 5-6 membered aromatic ring containing one or more heteroatoms selected from N, S and O, each of which is optionally substituted by one or more substituents independently selected from halogen, CN, nitro, SO₂R⁴, OH, OR⁴, SR⁴, SOR⁴, SO₂NR⁵R⁶, CONR⁵R⁶, NR⁵R⁶, NR⁹SO₂R⁴, NR⁹CO₂R⁴, NR⁹COR⁴, C₂-C₆ alkenyl, C₂-C₆ alkynyl, C₁-C₆ alkyl, the latter three groups being optionally substituted by one or more substituents independently selected from halogen atoms, OR⁷ and NR⁸R⁹, S(O)_xR⁷ where x is 0, 1 or 2;

R⁴ represents aryl, heteroaryl, or C₁-C₆ alkyl, all of which ~~are may-be~~ optionally substituted by one or more substituents independently selected from halogen atoms, aryl, heteroaryl, OR¹⁰ and NR¹¹R¹² S(O)_xR¹³ (where x = 0, 1 or 2), CONR¹⁴R¹⁵, NR¹⁴COR¹⁵, SO₂NR¹⁴R¹⁵, NR¹⁴SO₂R¹⁵, CN, nitro;

R⁵ and R⁶ independently represent a hydrogen atom, a C₁-C₆ alkyl group, or an aryl group, the latter two of which ~~are may-be~~ optionally substituted by one or more substituents independently selected from halogen atoms, aryl, OR¹³ and NR¹⁴R¹⁵, CONR¹⁴R¹⁵, NR¹⁴COR¹⁵, SO₂NR¹⁴R¹⁵, NR¹⁴SO₂R¹⁵, CN, nitro;

or

R⁵ and R⁶ together with the nitrogen atom to which they are attached can form a 3-8 membered saturated heterocyclic ring optionally containing one or more atoms selected from O, S(O)_x where x is 0, 1 or 2, NR¹⁶, and the ring itself optionally substituted by C₁-C₃ alkyl;

R⁷ and R¹³ independently represent a C₁-C₆ alkyl group, or an aryl or group all of which ~~are may~~ be optionally substituted by halogen atoms;

R⁸ represents a hydrogen atom, C(O)R⁹, C₁-C₆ alkyl (optionally substituted by halogen atoms, or an aryl group, which ~~is may-also-be~~ optionally substituted by one or more fluorine atoms); ~~or~~ an aryl group, which ~~is may-be~~ optionally substituted by one or more halogen atoms;

each of R⁹, R¹⁰, R¹¹, R¹², R¹⁴, R¹⁵, independently represents a hydrogen atom, C₁-C₆ alkyl, or an aryl group (all of which ~~are may-be~~ optionally substituted by one or more halogen atoms); and

R¹⁶ is hydrogen, C₁₋₄ alkyl, -C(O)C₁-C₄ alkyl, C(O)YC₁-C₄alkyl, Y is O or NR⁷.